

Product specific requirements: **003. 2nd Layer Casual & Dinner Wear**

Version: 3.0
Last update: 19.01.2022

| Material | Material Art | Products | Age Group | HS Code |
|------------------------------|--------------|---|--------------------|-------------------------------------|
| textile material; leather | Woven | 2nd layer casual & dinner wear: Blazers, suits, trousers, skirts, jeans , dresses, vests, party wear, evening dresses, party suits, wedding vests | women, men kids | 4203, 6103, 6104, 6203, 6204, |



| No | Parameter | Method | Reference | Age group | Requirement | Materials | | | | |
|-----------------------------------|--|---|---|---------------|---|---|------------------|--------------------|----------------------|---------|
| | | | | | | Plastics - PU, PVC, Rubber, TPU | Textiles Natural | Textiles Synthetic | PU Coating, Printing | Leather |
| General & Construction | | | | | | | | | | |
| 1 | Fiber composition | EU (Nr) 1007/2011 | Ginetex (CH) | / | Single: No tolerance Blends: +/-3% deviation from composition; Max. +/- 2% presence of Extraneous fibers | | x | x | | x |
| 2 | Cords and drawstrings on children's clothing | SN EN 14682 | SR 817.023.41 (CH) | Till 14 years | Must fulfill requirements | Related to the whole product | | | | |
| Chemical Parameters | | | | | | This chemical parameters are not fully covered EU and Swiss requirement. Additional protocol of restricted substances (EU-Swiss RS) for Softlines products are provided for your reference. | | | | |
| 3 | Formaldehyde | Textile: DIN EN ISO 14184-1 Leather: DIN EN ISO 17226-2 | EU REACH Annex XVII Entry 72 Oekotex | / | Baby till 3 : n.d. Adults Textile: 75 mg/kg | | x | x | x | x |
| 4 | pH value | Textile: DIN EN ISO 3071 Leather: DIN EN ISO 4045 | Oekotex | / | Textile: Direct Skin Contact: 4.0-7.5 Textile: Indirect Skin Contact: 4.0-9.0 Leather: 3.5-7.5 | | x | x | | x |
| 5 | Lead in Textile | Non-leather: EN 16711-1 Leather: ISO 17072-2 | SR 817.023.41 SR 814.81 (CH) | / | Paints and varnishes: 100 mg/kg; Surface treatment on Textile: Not detected (5mg/kg) | x | | | x | x |
| 6 | Cadmium in Textile | EN 16711-1 | SR 814.81 (CH) | / | Plastic: 100 mg/kg Surface coating/paint on article: 1000 mg/kg | x | | | x | |
| 7 | Azo-Dyes* (Appendix) | Textile: DIN EN 14362-1 Leather: DIN ISO 17234-1 4-aminoazobenzene Textile: DIN EN 14362-3 Leather: DIN ISO 17234-1 | SR 817.023.41 (CH) | / | max. 30 mg/kg each | | x | x | x | x |
| 8 | Phthalates* (Appendix) | ISO 14389 | SR 817.023.41 | < 36 months | Baby (<36 months) DEHP / DBP / BBP / DIBP / DIHP / DMEP / DiPP / DnPP / DnHP/ DCHP/ DIOP/ DINP/ DIDP/ DNOP: 1000 mg/kg (Each or Total) Other age range: DEHP / DBP / BBP / DIBP / DIHP / DMEP / DiPP / DnPP / DnHP/ DCHP/ DIOP: 1000 mg/kg (Each or Total) | x | | | x | |
| 9 | Allergenic Disperse Dyes* (Appendix) | DIN 54231 | SR 817.023.41 | / | Not detectable (< 5 mg/kg) | | x | x | | |
| 10 | Navy Blue | In-house method - Analysis was conducted by LC-DAD / LC-MSD ; DIN 54231 | SR 817.023.41 | / | Not detectable (< 5 mg/kg) | | x | x | | |

Product specific requirements: 003. 2nd Layer Casual & Dinner Wear

Version: 3.0
Last update: 19.01.2022

| Material | Material Art | Products | Age Group | HS Code |
|------------------------------|--------------|---|--------------------|-------------------------------------|
| textile material; leather | Woven | 2nd layer casual & dinner wear: Blazers, suits, trousers, skirts, jeans , dresses, vests, party wear, evening dresses, party suits, wedding vests | women, men kids | 4203, 6103, 6104, 6203, 6204, |



| No | Parameter | Method | Reference | Age group | Requirement | Materials | | | | |
|----|---|---|---|-----------|---|------------------------------------|------------------|--------------------|-------------------------|---------|
| | | | | | | Plastics - PU, PVC, Rubber, TPU | Textiles Natural | Textiles Synthetic | PU Coating, Printing | Leather |
| 11 | PAHs *(Appendix) | AfPS GS 2019:01 PAK | SR 814.81 (CH) | / | EU PAH each < 0.5 mg/kg / Total sum < 10 mg/kg | x | | | x | |
| 12 | Chlorinated paraffins C10-13 (SCCP) (only for plastic, coating) | ISO 18219 GC-MS or GC-ECD; | SR 814.81 (CH) | / | SCCPs limit (flame retardant): no use ; SCCPs limit (other): < 1000 mg/kg; | x | | | x | x |
| 13 | Organic Tin Compounds (only for plastic, coating) | Textile: ISO 22744-1 Non-textile: CEN ISO/TS 16179 | SR 814.81 (CH) | / | Tri-substituted organostannic compounds 1000 mg/kg DBT: 1000 mg/kg DOT: 1000 mg/kg | x | | | x | |
| 14 | Dimethylfuran | ISO/TS 16186 | SR 814.81 (CH) | / | 0,1mg/kg | | x | x | | x |
| 15 | Penta-, Tetra-, Trichlorophenol (PCP / TeCP / TriCP) | Textile / Leather: LFGB § 64 BVL B82.02.8 Leather: ISO 17070; Polyester / polyester-blend / printed fabric: Modified § 64 LFGB BVL B82.02.8 with alkaline digestion | ChemVerbots V Oekotex SR 814.81 (CH) Annex 1.2 | / | PCP, TeCP: not merely unavoidable impurities: 5 mg/kg | | x | | x | x |
| 16 | Chrome VI (after aging) | ISO 17075-2:2017 | SR 814.81(CH) | / | Conditions: 80°C, 24hrs, < 5% humidity) : < 3 mg/kg | | | | | x |

Product specific requirements: **003. 2nd Layer Casual & Dinner Wear**

Version: 3.0
Last update: 19.01.2022

| Material | Material Art | Products | Age Group | HS Code |
|------------------------------|--------------|---|--------------------|-------------------------------------|
| textile material; leather | Woven | 2nd layer casual & dinner wear: Blazers, suits, trousers, skirts, jeans , dresses, vests, party wear, evening dresses, party suits, wedding vests | women, men kids | 4203, 6103, 6104, 6203, 6204, |



| No | Parameter | Method | Reference | Age group | Requirement | Materials | | | | |
|---------------------------|--|------------------------------------|--------------|-------------------------------|--|------------------------------------|------------------|--------------------|-------------------------|------------------------------|
| | | | | | | Plastics - PU, PVC, Rubber, TPU | Textiles Natural | Textiles Synthetic | PU Coating, Printing | Leather |
| Physical Parameter | | | | | | | | | | |
| 17 | Weight per m2 | Woven. ISO 3801 | Manor intern | / | +/- 5% | Related to the whole product | | | | |
| 18 | Tensile strength | ISO 13934-2 [N] | Manor intern | / | casual & dinner 200 N trousers & jeans 230 N for lining 150 N | Related to the whole product | | | | |
| 19 | Tear strength | ISO 13937-1 [N] | Manor intern | / | 14 N for lining 10 N | Related to the whole product | | | | |
| 20 | Seam Slippage | ISO 13936/1/ (6mm) [N] | Manor intern | / | dinner 150 N casual 118 N lining 100 N | Related to the whole product | | | | |
| 21 | Seam Strength | ISO 13935-2 [N] | Manor intern | / | heavy weight > 180 g/m²: 180 N medium weight - 131-180 g/m²: 150 N lining: 120 N | Related to the whole product | | | | |
| 22 | Color fastness to Laundering (washing) (1 Wash) | ISO 105/C06 | Manor intern | / | Grade 4 Polyamide Grade 3-4 Denim 3 For contrast colors- Grade 4-5 | x | | x | | |
| 23 | Appearance after washing (1 Wash) | In-house method | Manor intern | / | Satisfactory: No loose fibers, degumming, blistering for adhesive position; No damage, detachment, corrosion, deformation, obvious color change, seam opening after washing. | x | | x | | |
| 24 | Dimensional stability after washing (1 Wash) 1 sample additional! | ISO 6330 | Manor intern | / | +/-3.0% (only for casual) | x | | x | | |
| 25 | Color fastness to Dry Cleaning (1 Dry-clean, if applicable) | ISO 105/D01 | Manor intern | / | Grade 4 (only for Blazers & Dinner) | x | | x | | x |
| 26 | Dimensional stability to dry cleaning (1 Dry-clean, if applicable) | In-house method | Manor intern | / | +/-2.0% (only for Blazers & Dinner) | x | | x | | x |
| 27 | Appearance after dry cleaning (1 Dry-clean, if applicable) | In-house method | Manor intern | / | Satisfactory: No loose fibers, degumming, blistering for adhesive position; No damage, detachment, corrosion, deformation, obvious color change, seam opening after washing. | x | | x | | x |
| 28 | Without lining Color fastness to Perspiration (acid and alkaline) | ISO 105/E04 | Manor intern | / | Grade 3-4 (only for Casual, Jeans, Trousers) | x | | x | | grade 3-4 |
| 29 | With Lining Color fastness to Perspiration (acid and alkaline) | ISO 105/E04 | Manor intern | / | Grade 3-4 (only for Blazers, Dinner: only for lining, upper material not applicable) | x | | x | | grade 3-4 only for lining |
| 30 | Color fastness to rubbing, dry (leather 20 cycles, nappa leather 50 cycles) | ISO 105/X12 ISO 11640 (leather) | Manor intern | / | Grade 4 Denim ; Dark color- Grade 3-4 Flor ware- Grade 3 Garment dyeing 3 | x | | x | | grade 3 |
| 31 | Color fastness to rubbing, wet (leather 10 cycles, nappa leather 20 cycles) | ISO 105/X12 SO 11640 (leather) | Manor intern | / | Grade 3 Trousers - Grade 3 Denim ; Dark color- Grade 2-3 Flor ware- Grade 2 Garment dyeing 3 | x | | x | | grade 2-3 |
| 32 | Color fastness to water | ISO 105-E01 | Manor intern | / | Grade 3-4 Denim - Grade 3 For contrast colors- Grade 4-5 | x | | x | | grade 3 |
| 33 | Color fastness to saliva | DIN 53160-1 | Manor intern | Till 3 years (size 50- 98) | Grade 5 | x | | x | | grade 5 |

Product specific requirements: **003. 2nd Layer Casual & Dinner Wear**

Version: 3.0
Last update: 19.01.2022

| Material | Material Art | Products | Age Group | HS Code |
|------------------------------|--------------|---|--------------------|-------------------------------------|
| textile material; leather | Woven | 2nd layer casual & dinner wear: Blazers, suits, trousers, skirts, jeans , dresses, vests, party wear, evening dresses, party suits, wedding vests | women, men kids | 4203, 6103, 6104, 6203, 6204, |



| No | Parameter | Method | Reference | Age group | Requirement | Materials | | | | |
|------------------------------|---|--|-------------------------|---------------|--|---------------------------------|------------------|--------------------|----------------------|---------|
| | | | | | | Plastics - PU, PVC, Rubber, TPU | Textiles Natural | Textiles Synthetic | PU Coating, Printing | Leather |
| 34 | Martindale Abrasion | ISO 12947 | Manor intern | / | Casual & Dinner 16.000 revs Lining: 16.000 revs Trousers & Jeans 20.000 revs No damage on fabric face | | x | x | | |
| 35 | Pilling Martindale Only for the front. Exempt: sanding, flocking on the front ; hollow mesh, lace structures. Except wool items (GB) | ISO 12945-2 (1 wash) | Manor intern | / | Even surface - Grade 3-4 (2000 revs) raised materials- Grade 3 (2000 revs) | | x | x | | |
| 36 | Pilling for Cashmere and cashmere blends | ISO 12945-1/ ISO 6330 (1 wash) | Manor intern | / | Grade 3 (10,800 revs) (With cashmere or >50%-100% for Lambs wool, Angora, Mohair and Cashmere rich blends) | | x | | | |
| 37 | Pilling for wool on other animal fibers | ISO 12945-1/ ISO 6330 (1 wash) | Manor intern | / | Grade 3-4 (10,800 revs) | | x | | | |
| 37 | Odor | Sensorics Test | Manor intern | / | no odor | | x | x | | |
| Accessories | | | | | | | | | | |
| 38 | Metal Parts with skin contact: Nickel | EN 12472:2020 / EN 1811:2011 + A1:2015 | SR 817.023.41 (CH) | / | Nickel: <u>Manor < 0,5 µg/cm²/Week</u> | Related to the whole product | | | | |
| 39 | Plastic Parts with skin contact: Cadmium | Non-leather: EN 16711-1 | SR 814.81 (CH) | / | Cadmium 100 mg/kg (Swiss Regulation) Manor: 40 mg/kg (Manor Regulation) | x | | | | |
| Attachments' strength | | | | | | | | | | |
| 40 | Decoration elements | DIN CEN /TR 16792; EN 71-1 | Manor intern | Till 14 years | Parts ≥6 mm not > 6mm: Parts ≤3 mm not < 3mm: There are 3 new EU standards on safety of children's clothing developed from DIN CEN/TR 16792 Suggest to change the method to below method. CEN/TS 17394-2 Textiles and textile products - Part 2: Safety of children's clothing - Security of attachment of attachment of buttons-test method. CEN/TS 17394-3 Textiles and textile products - Part 3: Safety of children's clothing - Security of attachment of metal mechanically applied press fasteners-test method CEN/TS 17394-4 Textiles and textile products - Part 4: Security of children's clothing- Security of attachment of components except buttons and metal mechanically applied press fasteners-test method | Related to the whole product | | | | |
| 41 | Small parts; sharp point, sharp edge | EN-71-1 | Manor intern | Till 14 years | (< 36 months) No small parts; (< 14 years) No sharp point; (< 14 years) No sharp edge. | Related to the whole product | | | | |
| Label | | | | | | | | | | |
| 42 | Labeling (with Care Instruction) | EU (Nr) 1007/2011 | Ginetex Manor intern | / | Trademark Manufacturer's name (name, address in EU) Made in ... Size (opt. age for children) Care instructions (according to Ginetex) Fiber composition in % (EU 1007/2011) In 1 Swiss official language (DE / IT / FR) | Related to the whole product | | | | |

Product specific requirements: **003. 2nd Layer Casual & Dinner Wear**

Version: 3.0
Last update: 19.01.2022

| Material | Material Art | Products | Age Group | HS Code |
|------------------------------|--------------|---|--------------------|-------------------------------------|
| textile material; leather | Woven | 2nd layer casual & dinner wear: Blazers, suits, trousers, skirts, jeans , dresses, vests, party wear, evening dresses, party suits, wedding vests | women, men kids | 4203, 6103, 6104, 6203, 6204, |



| No | Parameter | Method | Reference | Age group | Requirement | Materials | | | | |
|----|---|----------------------|-------------------------|-----------|---|---------------------------------|------------------|--------------------|----------------------|---------|
| | | | | | | Plastics - PU, PVC, Rubber, TPU | Textiles Natural | Textiles Synthetic | PU Coating, Printing | Leather |
| 43 | Care Instruction | Ginetex | Ginetex Manor intern | / | <p>Mandatory in following order: washing-bleaching-drying-ironing-professional textile care Opt. Wash with similar colors/ Opt. Wash separately</p> | Related to the whole product | | | | |
| 44 | Marking for fur or leather details/ parts | EU 17211 | EU 1007/2011 | / | <p>D: "Enthält nichttextile Teile tierischen Ursprungs" F: "Contient des parties non textiles d'origine animale" IT: "Contiene parti non tessili di origine animale" E: "Contains non-textile parts of animal origin"</p> | | | | | x |
| 45 | Marking for leather | RAL 060 A2 (Germany) | RAL 060 A2 (Germany) | / | <p>or</p> | Related to the whole product | | | | |