


## Product specific requirements: 041. Table linen, Deco

Version: 2.0  
Last update: 14.04.2022

Material	Material Art	Products	Age Group	HS Code
textile	Woven, knitted	Tablecloths, textile table decoration, textile decoration, lace / ribbons, Decorative pillow	women, men	6302




No	Parameter	Method	Reference	Age group	Requirement	Materials			
						Plastics - PU, PVC, Rubber, TPU	Textiles Natural	Textiles Synthetic	PU Coating, Printing
<b>General &amp; Construction</b>									
1	Fiber composition	EU (Nr) 1007/2011	Ginetex (CH)	/	Single: No tolerance Blends: +/-3% deviation from composition;		x	x	
<b>Chemical Parameters</b> <small>These parameters are mandatory and does not replace our full chemical policy (see Manora QM Part A, Pgf. 3)</small>									
2	Formaldehyde	Textile: DIN EN ISO 14184-1	EU REACH Annex XVII Entry 72 Oekotex	/	Decorative material: 300 mg/kg		x	x	x
3	Azo-Dyes	Textile: EN ISO 14362-1:2017 4-aminoazobenzene Textile: DIN EN 14362-3:2017	SR 817.023.41 (CH)	/	max. 30 mg/kg each		x	x	x
4	Penta-, Tetra-, Trichlorophenol (PCP / TeCP / TriCP)	Textile: LFGB § 64 BVL B82.02.8 Polyester / polyester-blend / printed fabric: Modified § 64 LFGB BVL B82.02.8 with alkaline digestion	ChemVerbots V Oekotex SR 814.81 (CH) Annex 1.2	/	PCP, TeCP: not merely unavoidable impurities: 5 mg/kg; Manora (Oekotex): Baby till 36 mth: 0.05 mg/kg;		x		x
<b>Physical Parameter</b>									
5	Dimensional stability to Ironing	DIN 53894-2	Manora intern	/	+/-2.0%		x	x	
6	Dimensional stability Laundering (1 Wash)	ISO 3759:2007 ISO 5077: 2007 ISO 6330:2012	Manora intern	/	Web: +/- 5.0% Knitted: +/- 8.0%		x	x	
7	Appearance after Laundering/ Ironing	In-house method	Manora intern	/	<b>Satisfactory:</b> No loose fibers, degumming, blistering for adhesive position; No damage, detachment, corrosion, deformation, obvious color change, seam opening after washing.		x	x	
8	Color fastness to Laundering (washing) (1 Wash)	ISO 105/C08	Manora intern	/	Grade 4 Polyamide Grade 3-4		x	x	
9	Color fastness to light	ISO 105 B02 at BWS 4	Manora intern	/	Grade 4 (only for outdoor)		x	x	
10	Color fastness to rubbing, dry	ISO 105/X12	Manora intern	/	Grade 4 (except decoration items)		x	x	
11	Color fastness to rubbing, wet	ISO 105/X12	Manora intern	/	Grade 3 (except decoration items)		x	x	
12	Spray test if claimed;	DIN EN 24920	Manora intern	/	Before washing Grade 4 (except decoration items)		x	x	
13	Flammability (for high-pile, Flor ware)	EN 1103	SR 817.23.41 (CH)	/	no Surface Flash		x	x	
<b>Label</b>									
14	Labeling (with Care Instruction)	EU (Nr) 1007/2011	Ginetex Manora intern	/	Trademark Importer's name (name, address in EU or CH) Size (opt. age for children) Care instructions (according to Ginetex) Fiber composition in % (EU 1007/2011) In 1 Swiss official language (DE / IT / FR)		Related to the whole product		

Product specific requirements: 041. Table linen, Deco

Version: 2.0  
Last update: 14.04.2022

Material	Material Art	Products	Age Group	HS Code
textile	Woven, knitted	Tablecloths, textile table decoration, textile decoration, lace / ribbons, Decorative pillow	women, men	6302



No	Parameter	Method	Reference	Age group	Requirement	Materials			
						Plastics - PU, PVC, Rubber, TPU	Textiles Natural	Textiles Synthetic	PU Coating, Printing
15	Care Instruction	Ginetex	Ginetex Manor intern	/	Mandatory In following order: Washing - bleaching - drying - ironing - professional textile care Opt. wash with similar colors/ 	Related to the whole product			