

Product specific requirements: 044. Carpets

Version: 3.0
Last update: 14.04.2022

Material	Material Art	Products	Age Group	HS Code
Textile, Kokosfasern	Woven	Bathroom rugs, carpets, carpets for children	women, men kids, baby	5701, 5702



No	Parameter	Method	Reference	Age group	Requirement	Materials			
						Plastics - PU, PVC, Rubber, TPU	Textiles Natural	Textiles Synthetic	PU Coating, Printing
General & Construction									
1	Fiber composition	Test Method / Regulation: Regulation (EU) No 1007/2011, Annex VIII	Ginetex (CH)	/	Single: No tolerance (SGS) Blends: +/-3% deviation from composition;		x	x	
Chemical Parameters <small>These parameters are mandatory and does not replace our full chemical policy (see Manor QM Part A, Pgf. 3)</small>									
2	Formaldehyde	Textile: DIN EN ISO 14184-1	EU REACH Annex XVII Entry 72 Oekotex	/	With skin contact (bath, children) 75 mg/kg		x	x	x
3	Formaldehyde	Textile: DIN EN ISO 14184-1	EU REACH Annex XVII Entry 72 Oekotex	/	Without skin contact (decorative) 300 mg/kg				
4	pH value	Textile: DIN EN ISO 3071 Leather: DIN EN ISO 4045	Oekotex	/	Textile: Direct Skin Contact: 4.0-7.5		x	x	
5	Azo-Dyes	Textile: DIN EN ISO 14362-1:2017/ DIN EN ISO 14362-3: 2017 Leather: ISO 17234-1:2015/ ISO 17234-2:2011	SR 817.023.41(EDI) EU Regulation No 1907/2006	/	max. 30 mg/kg each		x	x	x
6	Phthalatess	ISO 14389	SR817.023.41 SR 814.81 (CH)	only for children	Plasticized material in article for all age range DEHP / DBP / BBP / DIBP = 0.1% (Each or Total)	x			x
7	Penta-, Tetraphenol (PCP / TeCP)	Textile: LFGB § 64 BVL B82.02.8 Polyester / polyester-blend / printed fabric: Modified § 64 LFGB BVL B82.02.8 with alkaline digestion	ChemVerbots V Oekotex SR 814.81 (CH) Annex 1.2	/	PCP, TeCP: not merely unavoidable impurities: 5 mg/kg; Manor (Oekotex): Baby till 36 mth: 0.05 mg/kg;		x		x
8	Halogenated Biphenyl und Naphthalene		ChemVerbots V Oekotex SR 814.81 (CH) Annex 1.1, 1.2	/	not merely unavoidable impurities: 5 mg/kg	x		x	x
9	Butadiene	Test Chamber Method, GC-MS analysis	/	/	Adults & Baby 0.002 mg/m³	x		x	x
10	PFOs, PFOA (if claimed)	ISO 23702-1	SR 814.81 (CH)	/	PFOA and its salts: 0.025 mg/kg (25 ppb) PFOA related substance: 1 mg/kg (1000 ppb) Manor requirement: 1 µg/m2 (adult & baby)		x	x	x

Product specific requirements: 044. Carpets

Version: 3.0
Last update: 14.04.2022

Material	Material Art	Products	Age Group	HS Code
Textile, Kokosfasern	Woven	Bathroom rugs, carpets, carpets for children	women, men kids, baby	5701, 5702



No	Parameter	Method	Reference	Age group	Requirement	Materials			
						Plastics - PU, PVC, Rubber, TPU	Textiles Natural	Textiles Synthetic	PU Coating, Printing
Additional for Backside Coating									
11	Chlorinated paraffins C10-13 (SCCP) (only for plastic, coating)	ISO 18219 GC-MS or GC-ECD;	SR 814.81 (CH)	/	SCCPs limit (flame retardant): no use ; CH/EU Law: 1000 mg/kg Manor (Oekotex): 100 mg/kg	x			x
12	Lead in Textile	Non-leather: EN 16711-1 Leather: ISO 17072-2	SR 817.023.41 SR 814.81 (CH)	/	Paints and varnishes: 100 mg/kg;	x			x
13	Cadmium in Textile	EN 16711-1	SR 814.81 (CH)	/	Swiss: Paints and varnishes, Plastic: 100 mg/kg	x			x
14	Organotin compounds (only for plastic, coating)	Textile: ISO 22744-1:2020 Non-textile: CEN ISO/TS 16179: 2012	SR 817.023.41 EU No 276 / 2010 EU REACH 1907/2006 Annex XVII		TBT/TPHT: 0.5 mg/kg (infant); 1 mg/kg (others) DBT/DMT/DOT/DPhT/DPT/MBT/MOT/MMT/MPhT /TeBT/TeBT/TeET/TCyHT/TMT/TOT/TeOT/TPT: 1 mg/kg (baby); 2 mg/kg (others)	x			x
Physical Parameter									
15	Stain resistance	AATCC 175-2013	Manor intern	/	Grade 8 min.		x	x	
16	Skid resistance	ASTM F 609 - 05(2013)	Manor intern	/	Friction co-efficient: 0.4 min.		x	x	
17	Color fastness to rug back staining	AATCC 137-2012	Manor intern	/	Color stain: 4.0		x	x	
18	Color fastness to Laundering (washing) (1 Wash)	ISO 105/C08	Manor intern	/	Grade 4		x	x	
19	Dimensional stability after washing (1 Wash)	ISO 6330	Manor intern	/	+/- 5.0%		x	x	
20	Color fastness to water	ISO 105-E01	Manor intern	/	Grade 4		x	x	
21	Color fastness to light	ISO 105 B02 at BWS 4	Manor intern	/	Shade change: 4		x	x	
22	Color fastness to rubbing, dry	ISO 105/X12	Manor intern	/	Grade 4		x	x	
23	Color fastness to rubbing, wet	ISO 105/X12	Manor intern	/	Grade 3		x	x	
24	Martindale Abrasion	ISO 12947-2	Manor intern	/	≥16000 cycles (top) ≥10000 cycles (lining) no damage on fabric face		x	x	
25	Flammability (for high-pile, Flor ware)	In house with relevance to EN 13501	SR 817.23.41 (CH)	/	Textile materials may not be such flammable and combustible, that they pose a disproportionately high risk. no surface flash	Related to the whole product			

Product specific requirements: 044. Carpets

Version: 3.0
Last update: 14.04.2022

Material	Material Art	Products	Age Group	HS Code
Textile, Kokosfasern	Woven	Bathroom rugs, carpets, carpets for children	women, men kids, baby	5701, 5702



No	Parameter	Method	Reference	Age group	Requirement	Materials			
						Plastics - PU, PVC, Rubber, TPU	Textiles Natural	Textiles Synthetic	PU Coating, Printing
Practical Requirements Optional									
26	Class of use	DIN EN ISO 10874 EN 1307	Manor intern	/	are of use: home : Class of use low (Klasse 21), medium (Klasse 22) strong (Klasse 22+) intensively used home are (EN 1307) Class 22+/ 23				
27	Additional requirements: underfloor heating fitness	EN 12667 / ISO 8302	Manor intern	/	Thermal resistance < 0,17 m²K/W by 10°C				
28	Antistatic (electrical) behaviour	EN 1815	Manor intern	/	(25% relative humidity; 23°C) persons charging ≤ 2 kV				
Label									
29	Labeling (with Care Instruction)	EU (Nr) 1007/2011	Ginetex Manor intern	/	Trademark Importer's name (name, address in EU or CH) Size (opt. age for children) Care instructions (according to Ginetex) Fiber composition in % (EU 1007/2011) In 1 Swiss official language (DE / IT / FR)	Related to the whole product			
30	Care Instruction	Ginetex	Ginetex Manor intern	/	Mandatory In following order: Washing - bleaching - drying - ironing - professional textile care Opt. wash with similar colors/ 	Related to the whole product			